



B-TECH AV MOUNTS™

B-TECH AUDIO VIDEO MOUNTS

PROFESSIONAL AV MOUNTING SOLUTIONS

WWW.BTECHAVMOUNTS.COM



NEW &
UPDATED
SOLUTIONS
FOR 2017



VIDEO WALLS • DIGITAL SIGNAGE • LED DISPLAY WALLS • VIDEO CONFERENCING & MUCH MORE



B-TECH
AUDIO VIDEO MOUNTS
45 YEARS - EST. 1972

WELCOME

INTRODUCING OUR NEWEST MOUNTING SOLUTIONS FOR 2017

Following on from a successful and **"Highly Commended"** 2016 we are keeping up the momentum well into the year that will see us reach our **45th anniversary** (we were founded in 1972) with a host of new and exciting AV mounting solutions.

Starting with the biggest AV event of the year, we'll be bringing our latest products to Amsterdam for Integrated Systems Europe 2017, before circling the globe on the busy show schedule that continues throughout 2017.

In this 'New for 2017' brochure, we are pleased to show you some new mounting solutions which have recently launched and give a sneak peek at some of the even newer products which will be available soon, including a new Ultra-Slim Pop-Out Video Wall Mount and a Pull-Out LED Wall Mount.



B-TECH
AUDIO VIDEO MOUNTS

45 YEARS · EST.1972



CONNECT WITH B-TECH ONLINE

There are various ways to connect with B-Tech online and on social media sites such as Twitter, LinkedIn and YouTube.

WWW.BTECHAVMOUNTS.COM



@BTECHAVMOUNTS



B-TECH AUDIO VIDEO MOUNTS



BTECH AV MOUNTS



STATE-OF-THE-ART INTERNATIONAL SHOWROOM & TRAINING FACILITY



Following an ambitious redevelopment project over the summer of 2016, our brand new showroom and meeting space is more than four times the size of our previous showroom facility and features all our latest product innovations, as well as the core lines which have been a staple part of the B-Tech brand over the last few years.

AV professionals at any level are now welcome to book the facility, free of charge, for their own use. Alternatively, we encourage everyone to drop in and have a look at our new facility to brush up on their B-Tech product knowledge.

Contact us to arrange a visit or to book the room for your next meeting.



CONTENTS

infoComm
Member
INTERNATIONAL

CEDIA
MEMBER

TUV NORD
GS
CERTIFIED

CE


RoHS
COMPLIANT

B-TECH AUDIO VIDEO MOUNTS

BT
TECH

NEW AND UPDATED MOUNTING SOLUTIONS FOR 2017

| PRODUCT CODE | PG. | PRODUCT CODE | PG. | PRODUCT CODE | PG. |
|---|-------|---|--------------|---|-------|
| NEW PRODUCTS FOR 2017 | | SYSTEM X COMPONENTS | | SYSTEM 2 POLE MOUNTING RANGE | |
| BT8390-ADP Mounting Adaptor Plate for System X 38-39, 52-53 | | BT8380 Vertical Support Column | 46-47 | BT7051 Ø50mm Heavy Duty Accessory Collar | 50-51 |
| BT7002 Ultra-Slim Digital Signage Kiosk | 26-27 | BT8380-BASE Floor base for Vertical Columns | 46-47 | BT7807 Twin Floor / Ceiling Mount | 50-51 |
| BT8307 Pop-Out Flat Screen Wall Mount | 10-11 | BT8380-CASTOR 4" Braked Castors | 46-47 | BT7808 Ceiling / Wall Mount with Tilt | 50-51 |
| BT8308 Pop-Out Flat Screen Wall Mount | 12-13 | BT8380-EXTV Support Column Extension Kit | 46-47 | BT7822 Heavy Duty Ceiling / Wall Mount | 50-51 |
| BT8309 Pop-Out Flat Screen Wall Mount | 14-15 | BT8380-FBKF Floor Base Fixing Kit | 46-47 | BT7831 Wall Mounting Bracket | 50-51 |
| BT8312 Ultra-Slim Pop-Out Video Wall Mount | 8-9 | BT8380-FFB Fixed Floor Base | 46-47 | BT7841 Ø50mm 2-Piece Accessory Collar | 50-51 |
| BT8430 Universal Flat Screen Wall Mount | 28-29 | BT8380-FSB Freestanding Floor Base | 46-47 | BT7850 Ø50mm Poles | 50-51 |
| BT8508 Touchscreen Trolley for SurfaceHub™ | 20-21 | BT8380-JPK Joining Plate Kit | 44-45 | BT7851 Telescopic Ceiling Mount | 50-51 |
| BT8530 Twin Screen VC Floor Stand | 22-23 | BT8390 Horizontal Mounting Rail | 44-45 | BT7853 Ø50mm Heavy Duty Poles | 50-51 |
| BT893 Heavy Duty Projector Ceiling Mount | 24-25 | BT8390-CFK Collar Fixing Kit | 44-45 | SMALL SCREEN MOUNTS | |
| BT9341 Universal LED Wall Mount | 6-7 | BT8390-CMC Cable Management Clip | 44-45 | BT7373 Double Arm Flat Screen Desk Mount | 52-53 |
| UPDATED PRODUCTS FOR 2017 | | BT8390-EXT Mounting Rail Extension Kit | 44-45 | BT7510 Ultra-Slim, Fixed Wall Mount - Small | 52-53 |
| BT8350 Freestanding Video Wall Mount | 16-17 | BT8390-SA Accessory Shelf Adaptor for System X™ | 54-55 | BT7511 Wall Mount with Tilt - Small | 52-53 |
| BT8351 Pop-Out Freestanding Video Wall Mount | 18-19 | BT8390-SP Row Height Adjustment Spacer | 46-47 | BT7518 Wall Mount with Tilt & Swivel - Small | 52-53 |
| BT8431 Universal Flat Screen Wall Mount | 30-31 | BT8390-WFK1 Wall Fixing Kit - Ultra-Slim | 44-45 | BT7521 Ultra-Slim, Fixed Wall Mount - Medium | 52-53 |
| BT8432 Universal Flat Screen Wall Mount | 32-33 | BT8390-WFK2 Wall Fixing Kit | 44-45 | BT7522 Wall Mount with Tilt - Medium | 52-53 |
| SYSTEM X OFF-THE-SHELF KITS | | BT8390-WFK3 Dual Rail Wall Fixing Kit | 44-45 | BTV114 Double Arm Wall Mount with Tilt & Swivel | 52-53 |
| BT8330 Universal Menu Board Mount | 42-43 | BT8390-WFK4 Wall-to-wall Fixing Kit | 34-35, 44-45 | MOUNTING ACCESSORIES | |
| BT8331 Universal Pop-Out Menu Board Mount | 42-43 | INTERFACE ARMS FOR SYSTEM X | | BT7032 Large AV Accessory Shelf | 54-55 |
| BT8332 Universal Menu Board Ceiling Mount | 42-43 | BT7564 VESA 600 x 400 Interface Adaptors | 48-49 | BT77 Side Clamping Loudspeaker Mounts | 54-55 |
| BT8340 Universal Video Wall Mount | 42-43 | BT8390-VESA1200F VESA1200, Fixed | 48-49 | BT7860 Apple TV® 2 nd & 3 rd Generation Mount | 54-55 |
| BT8341 Universal Pop-Out Video Wall Mount | 42-43 | BT8390-VESA200F VESA200, Fixed | 48-49 | BT7863 Video Conferencing Camera Shelf | 54-55 |
| BT8342 Universal Video Wall Ceiling Mount | 42-43 | BT8390-VESA200T VESA200, Tilting | 48-49 | BT7880 Apple TV® 4 th Generation Mount | 54-55 |
| BT8370 Universal Video Wall Stand | 42-43 | BT8390-VESA400F VESA400, Fixed | 48-49 | | |
| BT8371 Universal Video Wall Trolley | 42-43 | BT8390-VESA400MAF VESA400, Micro-Adjustment | 48-49 | | |
| BT8372 Universal Bolt Down Video Wall Stand | 42-43 | BT8390-VESA400MAP VESA400, Pop-Out | 48-49 | | |
| | | BT8390-VESA400T VESA400, Tilting | 48-49 | | |
| | | BT8390-VESA800F VESA800, Fixed | 48-49 | | |



SYSTEM X SEE PG.40

INDUSTRY RECOGNISED

Following a year of brilliant progress for System X, the installer favoured range has been nominated for yet more awards. Having previously been nominated as a Technology Finalist in the 2016 InAVation Awards and then receiving a "Highly Commended" accolade at the 2016 AV Awards, System X has been recognised by industry professionals once again with a nomination in the 2017 AV News awards' Display Innovation category.

For more information about System X and the type of installations it can be used for, please see page 40.

PROFESSIONAL MOUNTING SOLUTIONS

B-TECH PRODUCT DEVELOPMENTS FOR 2017

As technologies in the AV and systems integration industry continue to develop at a rapid pace, we continue to invest heavily in research and development to ensure we are always able to provide quality mounting solutions designed specifically for the latest technologies available on the market.

LED panels are becoming increasingly more common in the marketplace and following our freestanding mounting solution, which was launched last year, we have a brand new LED wall mount; the BT9341. Taking inspiration from our industry favoured pop-out video wall bracket, we have applied its technology to the BT9341 to allow front service access to mounted panels, something we know all installers love! **See pages 6-7 for more info.**

Speaking of our favourite pop-in, pop-out bracket, the BT8310 is soon to be accompanied by a much slimmer version; the BT8312, which mounts video wall screens at a depth of just 55mm from the wall. Other new pop-out solutions include the BT8307, BT8308 and BT8309; three brand new options which allow much smaller screens to be mounted into recessed walls, whilst still allowing rear access for maintenance. **See pages 10-15 for more info about our latest pop-out solutions.**

Another welcome addition to the B-Tech range is a brand new Heavy Duty Projector Ceiling Mount; the BT893, which mounts projectors up to 70kg and features 3 point micro-adjustment. **See pages 24-25.**

In order to keep pace with the industry, we also continue to look at our existing mounting solutions and make improvements where necessary and so you will find several updated products such as our updated freestanding video wall solutions; the BT8350 and BT8351. **See pages 16-19.**







UNIVERSAL
DESIGN FOR USE
WITH VARIOUS
LED PANELS

BT9341

UNIVERSAL LED PANEL WALL MOUNT WITH PULL-OUT SYSTEM

The BT9341 is a wall mounted solution designed to mount multiple LED display panels at once. The solution features a quick release pull-out mechanism which enables the installation of panels into recessed walls and aids the installation and servicing process by allowing access to the rear of the install. A universal design makes the BT9341 compatible with various different LED panels and allows them to be used in a variety of different configurations. Other features include tool-less micro-adjustment, integrated cable management and keyhole 'hook-on' installation to allow large scale installations to be assembled safely and securely.

SPECIFICATION


| | |
|--------------------|---------------|
| Max load | 200kg |
| Flat to wall depth | 184mm - 199mm |
| Extended depth | 758mm - 773mm |
| Micro-adjustment | up to 15mm |
| Colour | Black |

FEATURES


- Universal design suitable for a variety of LED panels and configurations
- Pull-out design makes this the ideal solution for installing LED panels into a recessed wall
- Quick release mechanism allows the display to be safely extended forward to allow rear access to the panels
- Open frame design allows access to the panels for easy servicing and maintenance
- Tool-less micro adjustment with integrated adjustment handles
- Discreet, fold-out handles allow the display to be pulled out and pushed in without touching the panels
- Keyhole mounting allows safe and secure installation of large scale LED video walls
- Integrated cable management for a neat and tidy installation



PER PANEL




Features tool-less micro adjustment with integrated adjustment handles




Pull-to-release mechanism allows safe extension of the mount for easy servicing




Micro-adjustment up to 15mm




Use multiple BT9341 mounts for even larger LED video walls




FRONT VIEW



SIDE VIEW - CLOSED



SIDE VIEW - EXTENDED



MOUNTING PLATE

RELATED PRODUCTS

BT8310



Professional Pop-Out Video Wall Mount
for screens up to 75kg (per screen)

BT8341



Universal Pop-In, Pop-Out Video Wall Mounting System
for screens up to 50kg (per screen)

BT8355



Freestanding Mounting Solution
for LED video walls

BT8307



Professional Pop-Out Flat Screen Wall Mount
for small screens up to 25kg



**MOUNTED
DEPTH OF
ONLY 55MM**

BT8312

ULTRA-SLIM POP-OUT VIDEO WALL MOUNT

Designed to make video wall installations as quick and simple as possible, this modular video wall mount can be used to create unlimited video wall configurations in both landscape and portrait format. The BT8312 has an ultra-low profile for mounting into walls with a shallow recess or when space in front of the wall is minimal. The pop-out system enables quick and easy access to the rear of mounted screens for servicing and maintenance and 8 points of micro-adjustment make accurate screen alignment quick and easy.

SPECIFICATION

| | |
|--|------------------------|
| Recommended screen size | 42" - 65" |
| Max load | 50kg |
| VESA® compatibility (as standard) | 200 x 200 to 400 x 400 |
| VESA® compatibility (with included adaptors) | up to 600 x 400* |
| Flat to wall depth (with micro-adjustment) | 55 to 70mm* |
| Popped out depth (with micro-adjustment) | 231 to 246mm* |
| Colour | Black |

FEATURES

- Modular mount for unlimited wall display configurations
- Ultra-slim design mounts video wall screens just 55mm from the wall
- Suitable for landscape or portrait screen mounting
- Push to open / push to close system provides quick and easy service access
- Micro-adjustments at 8 points for seamless display alignment
- Suitable for both wall or pole mounting
- Integrated cable management
- Perfect solution for mounting screens into a recessed wall
- Safety screws help prevent unauthorised removal of screens
- Includes Interface Adaptor Arms as standard (pictured below) for use with screens with VESA 600 x 400 fixings


**Please note using the included Interface Adaptor Arms to mount VESA 600 x 400 screens will increase the total depth of the product by 6mm, for a total depth of: 61mm to 76mm, or 237mm to 252mm whilst popped out.*



PER SCREEN



Modular mount allows video wall assembly in an unlimited number of configurations




Push to open / push to close system provides quick and easy service access




Micro-adjustment at 8 points for seamless display alignment




Optional Interface Adaptors for VESA 600 x 400 fixings included as standard




FRONT VIEW




FRONT VIEW WITH ADAPTOR ARMS



ADAPTOR ARMS



SIDE VIEW CLOSED



SIDE VIEW EXTENDED

Total depth increased to **62mm - 76mm when using VESA 600 x 400 adaptors*
***Total depth increased to **237mm - 252mm** when using VESA 600 x 400 adaptors*

RELATED PRODUCTS

BT8310



Professional Pop-Out Video Wall Mount
for screens up to 75kg (per screen)

BT8341



Universal Pop-In, Pop-Out Video Wall Mounting System
for screens up to 50kg (per screen)

BT8307



Pop-Out Flat Screen Wall Mount for small
screens up to 25kg

BT8309



Pop-Out Flat Screen Wall Mount with Micro-Adjustment
for small screens up to 25kg



FOR VESA
75 & 100
SCREENS

BT8307

POP-OUT FLAT SCREEN WALL MOUNT FOR SMALL SCREENS


The BT8307 is designed for the installation of small flat screens into recessed walls. Designed for screens with VESA 75 x 75 and 100 x 100 mounting patterns, the pop-out mechanism allows a neat and tidy, flush to wall installation and still allows access to the screen for easy installation or service access. The BT8307 allows screens to be mounted in landscape or portrait orientation and is also compatible with B-Tech's professional pole and collar system for pole mounted installs if required.

SPECIFICATION

| | |
|-------------------------|----------------------|
| Recommended screen size | up to 28" |
| Max load | 25kg |
| VESA® compatibility | 75 x 75 or 100 x 100 |
| Flat to wall depth | 68mm |
| Popped out depth | 208mm |
| Colour | Black |

FEATURES

- Perfect solution for mounting screens into a recessed wall
- Push to open / push to close system provides quick and easy service access
- Suitable for landscape or portrait screen mounting
- Suitable for both wall or pole mounting
- Integrated cable management
- **BT8308** version available for larger screens using VESA 200 fixings



Perfect solution for mounting screens into a recessed wall




Push to open / push to close system provides quick and easy service access




Compatible with B-Tech's professional pole and collar system for pole mounting




Also suitable for portrait screen mounting




FRONT VIEW



REAR VIEW



SIDE VIEW CLOSED



SIDE VIEW EXTENDED

PACKING INFORMATION

| COLOUR: | ORDER REF: | EAN CODE: | MASTER CARTON QTY: | INNER CARTON QTY: | MASTER CARTON WEIGHT: | MASTER CARTON CUBE |
|---------|------------|---------------|--------------------|-------------------|-----------------------|--------------------|
| Black | BT8307/B | 5019318081170 | 1 | 0 | 2.91kg | 0.012cbm |

ACCESSORIES AND RELATED PRODUCTS

BT7850



Ø50mm Poles available in different lengths up to 3m

BT7841



Ø50mm Accessory Collar for fixing mounts & accessories to Ø50mm poles

BT8309



Pop-Out Flat Screen Wall Mount With Micro-Adjustment for screens with VESA fixings from 75 x 75 to 200 x 200

BT8310



Professional Pop-In, Pop-Out Video Wall Mount for video walls or recess mounting larger screens



FOR VESA
75 TO 200
SCREENS

BT8308

POP-OUT FLAT SCREEN WALL MOUNT FOR MEDIUM SIZED SCREENS


The BT8308 is designed for the installation of small to medium sized flat screens into recessed walls. Designed for screens with VESA 200 x 100 and 200 x 200 mounting patterns, the pop-out mechanism allows a neat and tidy, flush to wall installation and still allows access to the screen for easy installation or service access. The BT8308 allows screens to be mounted in landscape or portrait orientation and is also compatible with B-Tech's professional pole and collar system for pole mounted installs if required.

SPECIFICATION

| | |
|-------------------------|-------------------------|
| Recommended screen size | up to 47" |
| Max load | 25kg |
| VESA® compatibility | 75 x 75 up to 200 x 200 |
| Flat to wall depth | 76mm |
| Popped out depth | 216mm |
| Colour | Black |

FEATURES

- Perfect solution for mounting screens into a recessed wall
- Push to open / push to close system provides quick and easy service access
- Suitable for landscape or portrait screen mounting
- Suitable for both wall or pole mounting
- Integrated cable management
- **BT8307** version available for smaller screens using VESA 100 fixings



Perfect solution for mounting screens into a recessed wall




Push to open / push to close system provides quick and easy service access




Compatible with B-Tech's professional pole and collar system for pole mounting




Also suitable for portrait screen mounting




FRONT VIEW



REAR VIEW



SIDE VIEW CLOSED



SIDE VIEW EXTENDED

PACKING INFORMATION

| COLOUR: | ORDER REF: | EAN CODE: | MASTER CARTON QTY: | INNER CARTON QTY: | MASTER CARTON WEIGHT: | MASTER CARTON CUBE |
|---------|------------|---------------|--------------------|-------------------|-----------------------|--------------------|
| Black | BT8308/B | 5019318081187 | 1 | 0 | 3.34kg | 0.012cbm |

ACCESSORIES AND RELATED PRODUCTS

BT7850



Ø50mm Poles available in different lengths up to 3m

BT7841



Ø50mm Accessory Collar for fixing mounts & accessories to Ø50mm poles

BT8309



Pop-Out Flat Screen Wall Mount With Micro-Adjustment for screens with VESA fixings from 75 x 75 to 200 x 200

BT8310



Professional Pop-In, Pop-Out Video Wall Mount for video walls or recess mounting larger screens



IDEAL
FOR SMALL
SCREEN VIDEO
WALLS

BT8309

POP-OUT FLAT SCREEN WALL MOUNT WITH MICRO-ADJUSTMENT

The BT8309 is designed for the installation of small to medium sized flat screens into a recess, or for assembling small screen video walls. Designed for screens with VESA mounting patterns from 75 x 75 up to 200 x 200, the pop-out mechanism allows a neat and tidy, flush to wall installation and still allows access to the screen for easy installation or service access. The BT8309 also features micro-adjustment which allows mounted screens to be perfectly aligned to the recess, or to other screens in the installation. The BT8309 allows screens to be mounted in landscape or portrait orientation and is also compatible with B-Tech's professional pole and collar system for pole mounted installs if required.

SPECIFICATION

| | |
|-------------------------|-------------------------|
| Recommended screen size | up to 47" |
| Max load | 25kg |
| VESA® compatibility | 75 x 75 up to 200 x 200 |
| Flat to wall depth | 76mm |
| Popped out depth | 216mm |
| Colour | Black |

FEATURES

- Perfect solution for mounting screens into a recessed wall
- Ideal for assembling video walls using smaller, non-video wall screens
- Push to open / push to close system provides quick and easy service access
- Tool-less micro-adjustments for seamless display alignment
- Suitable for landscape or portrait screen mounting
- Suitable for both wall or pole mounting
- Integrated cable management



Perfect solution for mounting screens into a recessed wall




Push to open / push to close system provides quick and easy service access




Compatible with B-Tech's professional pole and collar system for pole mounting




Tool-less micro-adjustment for seamless display alignment




FRONT VIEW



REAR VIEW



SIDE VIEW CLOSED



OPEN VIEW EXTENDED

ACCESSORIES AND RELATED PRODUCTS

BT7850



Ø50mm Poles available in different lengths up to 3m

BT7841



Ø50mm Accessory Collar for fixing mounts & accessories to Ø50mm poles

BT8307



Professional Pop-In, Pop-Out wall mount for screens with VESA 100 fixing patterns

BT8310



Professional Pop-In, Pop-Out Video Wall Mount for video walls or recess mounting larger screens



BT8350

SYSTEM X™

MODULAR

FREESTANDING

VIDEO WALL STAND

MODULAR
DESIGN FOR
SUPER FAST
ASSEMBLY

The BT8350 is a modular freestanding video wall mounting system for installations of any size. Available for use in both landscape and portrait* configurations, the BT8350 can be used for installations up to 7 rows high and as many columns wide as desired. The modular design and captive, fast-fit connectors make assembly and disassembly of video walls extremely quick and easy whilst 8 point tool-less micro-adjustment allows screens to be perfectly aligned with ease.

SPECIFICATION

| | |
|---------------------|------------------------|
| For screen size | 46" or 55" |
| Max load | 50kg (per screen) |
| VESA® compatibility | 200 x 200 to 600 x 400 |
| Colour | Black |

FEATURES

- Modular design allows quick and easy assembly and disassembly of video walls - perfect for rental applications
- Order to your exact requirements, anything from 2x2 to 70x71
- Available in both landscape and portrait orientation*
- Tool-less micro-adjustments at 8 points for seamless display alignment
- System X mounting interface allows use of different interface arms to suit your need - micro-adjustment, tilt, pop-out (see **BT8351**)
- Captive, fast-fit nuts and screws make assembly and disassembly quick and easy
- Durable Epoxy powder coated frame is ideal for repeated assembly
- Safety screws help prevent unauthorised removal of screens
- Base sections can face backwards if desired (ballast support or bolt down kit must be added)

*Landscape / portrait must be specified when ordering, a landscape kit can be used in portrait orientation with a few additional parts




PER SCREEN



Tool-less micro-adjustment at 8 points for seamless screen alignment




Adjustable support bar provides added stability to video wall installations




Captive, fast-fit nuts and screws make assembly and disassembly quick and easy




Modular design allows quick and easy assembly



FRONT VIEW



SIDE VIEW



TOP VIEW

RELATED PRODUCTS

BT8351



Modular Pop-In, Pop-Out Video Wall Mount for video wall configurations

BT8371



Universal Mobile Video Wall Stand for video wall configurations

BT8340



Universal Video Wall Mounting System for video wall configurations

BT8341



Universal Pop-In, Pop-Out Video Wall System for video wall configurations



MODULAR
DESIGN FOR
SUPER FAST
ASSEMBLY

BT8351

SYSTEM X™

POP-OUT, MODULAR FREESTANDING VIDEO WALL STAND

The BT8351 is a modular freestanding video wall mounting system for installations of any size. Available for use in both landscape and portrait* configurations, the BT8351 can be used for installations up to 7 rows high and as many columns wide as desired. The modular design and captive, fast-fit connectors make assembly and disassembly of video walls extremely quick and easy whilst 8 point tool-less micro-adjustment allows screens to be perfectly aligned with ease. Pop-out functionality is also included to make installation and servicing of screens even easier.

SPECIFICATION

| | |
|---------------------|------------------------|
| For screen size | 46" or 55" |
| Max load | 50kg (per screen) |
| VESA® compatibility | 200 x 200 to 600 x 400 |
| Colour | Black |

FEATURES

- Modular design allows quick and easy assembly and disassembly of video walls - perfect for rental applications
- Order to your exact requirements, anything from 2x2 to 70x71!
- Available in both landscape and portrait orientation*
- Tool-less micro-adjustments at 8 points for seamless display alignment
- System X mounting interface allows use of different interface arms to suit your need - pop-out tilt, fixed (see **BT8350**)
- Features pop-in, pop-out function to allow access to the rear of screens for servicing and maintenance and to aid installation
- Captive, fast-fit nuts and screws make assembly and disassembly quick and easy
- Durable Epoxy powder coated frame is ideal for repeated assembly
- Safety screws help prevent unauthorised removal of screens
- Base sections can face backwards if desired (ballast support or bolt down kit must be added)

**Landscape / portrait must be specified when ordering, a landscape kit can be used in portrait orientation with a few additional parts*




PER SCREEN



Tool-less micro-adjustment at 8 points for seamless display alignment




Adjustable support bar provides added stability to video wall installations




Captive, fast-fit nuts and screws make assembly and disassembly quick and easy




Modular design allows quick and easy assembly



FRONT VIEW



SIDE VIEW



TOP VIEW

RELATED PRODUCTS

BT8350



Modular Freestanding Video Wall Mount for video wall configurations

BT8371



Universal Mobile Video Wall Stand for video wall configurations

BT8340



Universal Video Wall Mounting System for video wall configurations

BT8341



Universal Pop-In, Pop-Out Video Wall System for video wall configurations



FOR
SURFACE HUB &
OTHER TOUCH
SCREENS

BT8508

TOUCHSCREEN TROLLEY FOR 84" MICROSOFT® SURFACE HUB™

The BT8508 is a mobile solution designed to mount Microsoft's 84" Surface Hub and other extra-large interactive displays over 72". Capable of supporting heavy duty loads, the trolley has a welcome rigidity which means mounted touchscreens do not move or flex whilst in use. Levelling screws allow easy height adjustment of the screen once mounted and integrated cable management keeps finished installations neat and tidy. Non-marking 4" braked castors allow the trolley to be re-located easily and safely without marking or scuffing floor surfaces.

SPECIFICATION

| | |
|--------------------------------|------------------|
| Recommended screen size | 72" up to 120" |
| Recommended Surface Hub size | 84"* |
| Max load | 200kg |
| Universal fixing compatibility | up to 1400 x 800 |
| Colour (Mounting Rail) | Silver |
| Colour (Vertical Columns) | Silver or Black |
| Colour (Base) | Black |


FEATURES

- Designed to mount Microsoft's 84" Surface Hub display*
- Universal design is also ideal for other standard or interactive screens over 72" (such as Sahara Clevertouch®)
- High-end aesthetic quality
- Integrated cable management
- Interface arms include levelling screws to adjust the height of the screen
- Includes non-marking 4" locking/braked castors
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Safety screws help prevent unauthorised removal of screens
- Simple 'hook-on' installation

*Please see BT8507 to mount a 55" Surface Hub



RAILS COLUMNS OTHER COMPONENTS



Simple 'hook-on' installation




Interface arms include levelling screws to adjust the height of the screen




Includes non-marking 4" locking/braked castors




Collar compatible accessories such as shelves can be fitted directly to the columns



FRONT VIEW



SIDE VIEW



TOP VIEW

ACCESSORIES AND RELATED PRODUCTS

BT7032 / BT7172 / BT7173 / BT7174



AV Accessory Shelves can be attached directly to a vertical column

BT7880



Apple TV Mount allows you to mount the latest Apple TV to your trolley

BT8390-SA



Shelf Adaptor allows the BT7880 and other accessories to be mounted centrally to the screen

BT820



Extra-Large Flat Screen Display Trolley
Heavy duty trolley designed for screens over 65"



BT8530

TWIN SCREEN VIDEO CONFERENCING FLOOR STAND WITH CAMERA SHELF

HIGH-END,
PREMIUM
QUALITY

The BT8530 is a high-end, premium mounting solution designed to mount dual screens, side by side for video conferencing applications. Made from our highly commended System X Range, the BT8530 is incredibly strong, stylish yet lightweight and is supplied with a video conferencing shelf that can be fixed easily to the front of the vertical column. The stand also features levelling screws to adjust the screen height and cable management throughout for a neat and tidy installation.

SPECIFICATION

| | |
|----------------------------|-----------------|
| Recommended screen size | 37" - 42" |
| Max load | 25kg per screen |
| VESA® and non-VESA fixings | up to 400mm* |
| Vertical Column colour | Black or Silver |
| Base colour | Black |


*The VESA specification refers to the **vertical dimension only**. All System X interface arms can be positioned as far along the rail as necessary. It is also possible to **increase the maximum vertical fixing to 600mm** by using **BT7564** interface adaptor arms (available separately). Please note that using these adaptors will increase the total depth on the install by 6mm.

FEATURES

- Universal design suitable for all screens from 37" to 42"
- High-end aesthetic quality
- Supplied with VC shelf that can be fixed anywhere along the length of the vertical column
- 30mm thick heavy duty steel base
- Easy lateral adjustment
- Integrated cable management for a neat and tidy installation
- Arms feature levelling screws to adjust the screen height
- Safety screws help prevent unauthorised screen removal
- Simple 'hook-on' screen installation




30mm thick heavy duty steel base is rigid yet stylish




Supplied with VC shelf that can be fixed anywhere along the length of the vertical column




All arms feature levelling screws to adjust the screen height



Integrated cable management for a neat and tidy installation



FRONT VIEW



SIDE VIEW

ACCESSORIES AND RELATED PRODUCTS

BT7032



Large AV Accessory Shelf mounts directly to a Vertical Column using the supplied sliding inserts

BT7865



Keyboard and Mouse Shelf can also be mounted directly to the Vertical Column

BT7880



Apple TV Mount allows you to mount the latest Apple TV to your VC stand

BT8511




Twin Screen VC Trolley with Camera Shelf is a perfect mobile solution for video conferencing



BT893

HEAVY DUTY UNIVERSAL PROJECTOR CEILING MOUNT WITH MICRO-ADJUSTMENT

3-POINT
MICRO-
ADJUSTMENT



Designed to mount projectors up to 75kg, this heavy duty projector mount can be fixed directly to the ceiling or to any B-Tech Ø50mm pole and ceiling mount. Projectors fix to an extendable mounting plate, with optional extension legs included as standard to accommodate larger fixing patterns, making the BT893 universally compatible with most large projectors. 3-point micro-adjustment allows precision adjustment of the projector pitch and roll to enable perfect positioning of projected images.

SPECIFICATION

| | |
|---|-------------|
| Max load | 75kg |
| Max projector fixing dimensions | 615 x 615mm |
| Pitch | +20° / -10° |
| Roll | +/-5° |
| Yaw (only when mounted directly to the ceiling) | +/-7.5° |
| Colour | Black |

FEATURES

- Heavy duty design allows extra-large projectors to be mounted
- Extendable mounting plate for universal projector compatibility
- 3-point micro-adjustment for perfect alignment of projected images - ideal for projection mapping applications
- Micro-adjustment is easily altered using handwheels for a controlled, tool-less adjustment
- Features easy, incremented tilt adjustment of up to +20° / -10°
- Can be mounted directly to the ceiling or to B-Tech Ø50mm poles for a longer ceiling drop (ceiling mount and pole available separately)
- Quick and easy assembly



Micro-adjustment is easily altered using handwheels for a controlled, tool-less adjustment




Can be mounted from the ceiling directly or from any B-Tech Ø50mm pole




Optional extension legs can be used to accommodate larger fixing patterns




Features easy, incremented tilt adjustment




BOTTOM VIEW




TOP VIEW




FRONT VIEW



SIDE VIEW



SIDE VIEW WITH EXTENSION LEGS



BOTTOM VIEW WITH EXTENSION LEGS

ACCESSORIES AND RELATED PRODUCTS

BT7851



Telescopic Ceiling Mount fits directly to 50mm diameter pole compatible products

BT7822



Heavy Duty Floor / Ceiling Mount Can be used in conjunction with B-Tech poles and collars to create pole mounted solutions

BT7850



Ø50mm Poles are available in a choice of 6 lengths and can be used to create multiple pole mounted solutions

BT899



Projector Mount with Micro-Adjustment for projectors up to 25kg



HIGH-END,
PREMIUM
QUALITY

BT7002

ULTRA-SLIM SINGLE SCREEN PORTRAIT DIGITAL SIGNAGE KIOSK

The BT7002 is an ultra-slim display kiosk designed to portrait mount a single digital signage screen. A rigid chassis is fixed to a heavy duty steel base which can be used freestanding or bolted to the floor and is finished stylishly with satin black or white outer covers. The internal mounting system is made to ensure the mounted screen sits perfectly level and flush with the front opening of the kiosk, which is laser cut to match your screen size.

SPECIFICATION

| | |
|-----------------------------|------------------------------|
| Suitable for screens | from 27" up to 50" |
| Max load | 25kg |
| VESA® and non-VESA fixings: | 200 x 200 up to 600 x 400 |
| Kiosk dimensions | W: 703mm D: 104mm H: 1810mm* |
| Base dimensions | W: 703mm D: 450mm H: 5mm* |
| Colour | Black or White |

FEATURES

- High-end aesthetic quality with a premium high satin finish
- Integrated cable management
- 8mm thick heavy duty steel base
- Can be used freestanding or bolted to the floor
- Lockable top panel helps prevent unauthorised removal of the screen
- Removable front and rear panels for easy installation and maintenance
- Includes internal storage area in lower section for media players and devices
- Vented top and rear panels allow airflow to and from the device
- Kiosks can be branded with your company logo if required
- Simple 'hook-on' screen installation
- For indoor use only



**Please note dimension applies to screens 42" - 55" (as shown). Kiosk dimensions for other screen sizes may differ - please ask for details*



Removable front and rear panels for easy installation and maintenance




Vented rear panels allow airflow to and from the device



Kiosks can be branded with your company logo if required




For indoor use only



FRONT VIEW

SIDE VIEW

BACK VIEW



TOP VIEW

RELATED PRODUCTS

BT7001



Back-to-Back Portrait Digital Signage Kiosk for portrait mounting two screens

BT8321



System X Portrait Signage Mount for screens up to 50kg

BT9905



Ultra-Stretch Signage Wall Mount for landscape mounting screens up to 50kg

BT9906



Ultra-Stretch Signage Wall Mount for portrait mounting screens up to 50kg



**EASY
TORSION-TILT
SYSTEM**

BT8430

UNIVERSAL FLAT SCREEN WALL MOUNT WITH TILT

Designed to mount medium sized screens, the BT8430 is a flat screen wall mount that features a unique 'Torsion-Tilt' mechanism which allows easy tilt adjustment of the screen up to $\pm 15^\circ$. Also suitable for pole mounting using B-Tech's Accessory Collars, the BT8430 features levelling screws to adjust the screen level post installation as well as locking screws which help prevent unauthorised removal of the screen.

SPECIFICATION

| | |
|--------------------------------|---------------------|
| Recommended screen size | 32" - 45" |
| Max load | 50kg |
| VESA® compatibility | up to 200 x 200 |
| Universal fixings | up to 327mm x 200mm |
| Tilt adjustment | $\pm 15^\circ$ |
| Distance from wall (flat) | 81mm |
| Distance from wall (full tilt) | 118mm |
| Colour | Black |

FEATURES


- Unique 'Torsion-Tilt' mechanism for easy tilt adjustment
- Post installation screen alignment for perfect screen positioning
- Compatible with B-Tech's collar and pole system for pole mounting screens
- Arms feature levelling screws to adjust the screen height
- Safety screws help prevent unauthorised removal of screens
- Simple 'hook-on' installation



Compatible with B-Tech's collar and pole system for pole mounting screens




Post installation lateral screen alignment for perfect screen positioning




Arms feature levelling screws to adjust the screen height once mounted






Security locking screws and Allen key provided for a secure installation



FRONT VIEW



REAR VIEW



SIDE VIEWS

PACKING INFORMATION

| COLOUR: | ORDER REF: | EAN CODE: | MASTER CARTON QTY: | INNER CARTON QTY: | MASTER CARTON WEIGHT: | MASTER CARTON CUBE: |
|---------|------------|---------------|--------------------|-------------------|-----------------------|---------------------|
| Black | BT8430/B | 5019318089947 | 2 | 0 | 6.9kg | 0.021cbm |

ACCESSORIES AND RELATED PRODUCTS

BT8200



Ultra-Slim Universal Flat Screen Wall Mount for screens up to 45"

BT7822



Heavy Duty Floor / Ceiling Mount
Can be used in conjunction with B-Tech poles and collars to create pole mounted solutions

BT7850



Ø50mm Poles are available in a choice of 6 lengths and can be used to create multiple pole mounted solutions

BT7841



Ø50mm Accessory Collars can be fixed to the BT8431 to allow the mount to be attached to a pole



BT8431

UNIVERSAL FLAT SCREEN WALL MOUNT WITH TILT

**EASY
TORSION-TILT
SYSTEM**

Designed to mount medium to large sized screens, the BT8431 is a flat screen wall mount that features a unique 'Torsion-Tilt' mechanism which allows easy tilt adjustment of the screen up to $\pm 15^\circ$. Also suitable for pole mounting using B-Tech's Accessory Collars, the BT8431 features levelling screws to adjust the screen level post installation as well as locking screws which help prevent unauthorised removal of the screen.

SPECIFICATION

| | |
|--------------------------------|---------------------|
| Recommended screen size | 39" - 55" |
| Max load | 50kg |
| VESA® compatibility | up to 400 x 400 |
| Universal fixings | up to 468mm x 400mm |
| Tilt adjustment | $\pm 15^\circ$ |
| Distance from wall (flat) | 81mm |
| Distance from wall (full tilt) | 148mm |
| Colour | Black |

FEATURES


- Unique 'Torsion-Tilt' mechanism for easy tilt adjustment
- Post installation screen alignment for perfect screen positioning
- Compatible with B-Tech's collar and pole system for pole mounting screens
- Arms feature levelling screws to adjust the screen height
- Safety screws help prevent unauthorised removal of screens
- Simple 'hook-on' installation



Unique 'Torsion-Tilt' mechanism allows for easy tilt adjustment up to $\pm 15^\circ$




Post installation lateral screen alignment for perfect screen positioning




Arms feature levelling screws to adjust the screen height once mounted






Security locking screws and Allen key provided for a secure installation



FRONT VIEW



WALL PLATE - FRONT VIEW



SIDE VIEWS

PACKING INFORMATION

| COLOUR: | ORDER REF: | EAN CODE: | MASTER CARTON QTY: | INNER CARTON QTY: | MASTER CARTON WEIGHT: | MASTER CARTON CUBE: |
|---------|------------|---------------|--------------------|-------------------|-----------------------|---------------------|
| Black | BT8431/B | 5019318084270 | 2 | 0 | 8.9kg | 0.028cbm |

ACCESSORIES AND RELATED PRODUCTS

BT8210



Ultra-Slim Universal Flat Screen Wall Mount for screens up to 55"

BT7822



Heavy Duty Floor / Ceiling Mount
Can be used in conjunction with B-Tech poles and collars to create pole mounted solutions

BT7850



Ø50mm Poles are available in a choice of 6 lengths and can be used to create multiple pole mounted solutions

BT7841



Ø50mm Accessory Collars can be fixed to the BT8431 to allow the mount to be attached to a pole



BT8432

UNIVERSAL FLAT SCREEN WALL MOUNT WITH TILT

**EASY
TORSION-TILT
SYSTEM**



Designed to mount large to extra-large sized screens, the BT8432 is a flat screen wall mount that features a unique 'Torsion-Tilt' mechanism which allows easy tilt adjustment of the screen up to $\pm 18^\circ$. Also suitable for pole mounting using B-Tech's Accessory Collars, the BT8432 features levelling screws to adjust the screen level post installation as well as locking screws which help prevent unauthorised removal of the screen.

SPECIFICATION

| | |
|--------------------------------|---------------------|
| Recommended screen size | 49" - 80" |
| Max load | 70kg* |
| VESA® compatibility | up to 600 x 400 |
| Universal fixings | up to 677mm x 400mm |
| Tilt adjustment | $\pm 15^\circ$ |
| Distance from wall (flat) | 81mm |
| Distance from wall (full tilt) | 148mm |
| Colour | Black |


*Please note the maximum load is reduced to 50kg when pole mounted

FEATURES

- Unique 'Torsion-Tilt' mechanism for easy tilt adjustment
- Post installation screen alignment for perfect screen positioning
- Compatible with B-Tech's collar and pole system for pole mounting screens
- Arms feature levelling screws to adjust the screen height
- Safety screws help prevent unauthorised removal of screens
- Simple 'hook-on' installation



Unique 'Torsion-Tilt' mechanism allows for easy tilt adjustment up to $\pm 18^\circ$




Post installation lateral screen alignment for perfect screen positioning




Arms feature levelling screws to adjust the screen height once mounted






Security locking screws and Allen key provided for a secure installation



FRONT VIEW



WALL PLATE - FRONT VIEW



SIDE VIEWS

PACKING INFORMATION

| COLOUR: | ORDER REF: | EAN CODE: | MASTER CARTON QTY: | INNER CARTON QTY: | MASTER CARTON WEIGHT: | MASTER CARTON CUBE: |
|---------|------------|---------------|--------------------|-------------------|-----------------------|---------------------|
| Black | BT8432/B | 5019318084294 | 2 | 0 | 10.9kg | 0.038cbm |

ACCESSORIES AND RELATED PRODUCTS

BT8220



Ultra-Slim Universal Flat Screen Wall Mount for screens up to 80"

BT7822



Heavy Duty Floor / Ceiling Mount
Can be used in conjunction with B-Tech poles and collars to create pole mounted solutions

BT7850



Ø50mm Poles are available in a choice of 6 lengths and can be used to create multiple pole mounted solutions

BT7841



Ø50mm Accessory Collars can be fixed to the BT8431 to allow the mount to be attached to a pole



**FIX
RAILS
BETWEEN
OPPOSING
WALLS**

BT8390-WFK4

WALL-TO-WALL FIXING KIT FOR SYSTEM X™

This Wall Fixing Kit for the System X Range allows BT8390 Mounting Rails to be fixed at a 90° angle from one wall to another, allowing screen installations across opposing walls, such as in corridors or other spaces where there is no mountable wall directly behind the installation. The BT8390 can also be used to join one System X rail to another at a 90° angle.

SPECIFICATION

| | |
|---|------------------------------------|
| Max load | Install dependent, ask for details |
| Steel thickness | 4mm |
| Mounting plates supplied | 4 |
| Plates required to fix rail from one wall to another | 4 |
| Max rail length (before additional support required*) | 2m |
| Colour | Black |

FEATURES

- Ideal solution to mount video walls or menu boards across open spaces where there is no mountable wall directly behind the installation
- Allows two System X rails to be joined at a 90° angle for more complex custom installations
- Suitable to bridge a gap of up to two metres with no additional support
- For installs over 2 metres wide, additional support is recommended*
- Four mounting plates supplied per kit, two plates are required at each end of the rail

**Please contact us for more information*



Mount System X rails at a 90° angle from one wall to another




Can be used with multiple mounting rails to create video wall installations




4 mounting plates supplied per kit, 2 plates are required at each end of the rail




*For installs over 2m wide, corner supports are recommended to add strength, please contact us for more information






SIDE VIEW



FRONT VIEW



TOP VIEW

ACCESSORIES AND RELATED PRODUCTS

BT8390-030/050/070/150/175/200



Wall Fixing Kits fit directly to Mounting Rails to create a huge range of wall mounting solutions.

BT8390-VESA400F



VESA 400 Interface Arms are ideal when installing fixed screen installations

BT8390-VESA400T



VESA 400 Interface Arms with Tilt are ideal for creating menu boards that require adjustment of tilt

BT8390-VESA400MAF



VESA 400 Interface Arms with Micro-adjustment are ideal for use when creating video wall installations



**MOUNT
SHELVES ABOVE
OR BELOW THE
SCREEN**

BT8390-SA

ACCESSORY SHELF ADAPTOR FOR SYSTEM X™

The BT8390-SA allows B-Tech accessory shelves to be fitted onto System X installations, making it the ideal solution for adding a VC camera to a twin screen setup. The shelf adaptor fits directly onto System X rails and can be used to mount the shelves above or below the rail. The adjustable extension arm can be freely positioned anywhere along the rail length and allows the BT8390-SA to work with a large range of screen sizes. When used with other B-Tech accessory mounts, the shelf adaptor also allows other accessories such as an Apple TV or media player to be added to the installation.

SPECIFICATION

| | |
|--|-------|
| Max load (single adaptor) | 4kg |
| Max load (when two BT8390-SA are used for large shelves) | 15kg |
| Maximum extension | 685mm |
| Maximum extension (with included extension bar) | 854mm |
| Colour | Black |

FEATURES

- Designed to allow AV accessory shelves to be mounted above or below screens
- Ideal for conference cameras when used in conjunction with **BT7863**
- Mount an Apple TV using **BT7860** (2nd & 3rd gen) or **BT7880** (4th gen)
- Large Shelves such as **BT7174** & **BT7032** can be mounted using 2x **BT8390-SA** for an increased load capacity of 15kg
- Simple 'hook-on' design allows quick and easy installation & removal
- Optional extension bar is included to increase height adjustment & accommodate for larger screens

**BT7863 and BT8390 Rail available separately*



Designed to allow AV accessory shelves to be mounted above or below the screen



Simple 'hook-on' design allows quick and easy installation and removal



SINGLE ADAPTOR TWIN ADAPTORS




Adjustable arm allows the BT8390-SA to be used with all screen sizes




Combining two adaptors side-by-side allows larger AV shelves to be mounted







FRONT VIEW




FRONT VIEW
WITH EXTENSION BAR




SIDE VIEW MOUNTING BELOW



SIDE VIEW MOUNTING ABOVE



SIDE VIEW MOUNTING BELOW
WITH EXTENSION BAR



SIDE VIEW MOUNTING ABOVE
WITH EXTENSION BAR

ACCESSORIES AND RELATED PRODUCTS

BT8390-030/050/070/150/175/200



Mounting Rail fits to columns, walls or poles for use in a wide range of installations

BT7863



Video Conferencing Camera Shelf fits a wide range of VC cameras and codecs

BT7032



Large AV Accessory Shelf for larger AV accessories such as Blu-Ray® players or laptops

BT8511



Twin Screen Video Conferencing Trolley for two screens up to 42"



IDEAL
FOR CREATING
SYSTEM X DESK
MOUNTS

BT8390-ADP

MOUNTING ADAPTOR PLATE FOR SYSTEM X™

The BT8390-ADP is an adaptor plate which allows a range of B-Tech flat screen wall and desk mounts to be fitted onto System X mounting rails. This is ideal for assembling multi-screen installations using small screens or for setting up multiple work stations in a side-by-side or back-to-back format. To attach small flat screens onto a rail, the BTV112, BTV113, BTV114, BTV502, BTV503 & BTV504 can be fitted directly to the BT8390-ADP plate, which in turn fits onto any BT8390 rail. Also compatible is the BT7399 Wall Mounting Adaptor, which allows B-Tech desk mounts to be fitted to the BT8390-ADP plate and then onto System X rails.

SPECIFICATION

| | |
|--------------------------|-------|
| Steel thickness | 5mm |
| Mounting plates supplied | 1 |
| Colour | Black |

FEATURES

- Mount a range of 'standard' B-Tech wall mounts or desk arms to System X mounting rails to create a wide variety of different installations
- Ideal for creating multi-screen setups of any size
- Can be positioned anywhere along the rail for perfect screen positioning
- Suitable for single or back-to-back solutions (*multiple BT8390-ADP required*)
- Allows screens to be mounted in either portrait or landscape orientations
- Retains all Full Motion functionality when used with B-Tech Full Motion desk mounts for easy adjustment of mounted screens in any direction
- Quick and simple installation



Allows a range of flat screen wall mounts to fit onto System X rails




Allows BT7399 Desk Mount Adaptor to fit B-Tech desk mounts onto System X rails




Ideal for creating back-to-back desktop mounting solutions




Allows screens to be mounted in either portrait or landscape orientations



FRONT VIEW



SIDE VIEW



REAR VIEW

ACCESSORIES AND RELATED PRODUCTS

BT8390-030/050/070/150/175/200



System X Mounting Rails are available in multiple lengths to create a huge range of wall mounting solutions

BT7399



BT7399 is a wall mounting adaptor for B-Tech Desk Mounts

BT7382



Full Motion Single Arm Flat Screen Desk Mount for screens up to 28"

BTV112



Wall Mount with Tilt & Swivel designed for screens up to 28"

SYSTEM X™

INSTALLED ALL AROUND THE WORLD, IN APPLICATIONS ACROSS THE FULL SPECTRUM OF VERTICAL MARKETS

Our hugely popular, award nominated mounting range has been installed in many locations around the world, for well known brands within the AV industry and also household names from virtually all market verticals.

Whether it is Menu Boards in fast food restaurants or large scale video walls in high street fashion chains, System X is a versatile range that can produce thousands of configurations for almost any purpose. To view the range in full please visit our website or scan the QR code below:



ONLINE CONFIGURATION TOOL

Create a mounting solution in just a few clicks! Our online configuration tool is designed to specify System X mounting solutions, whether that be for a specific configuration of an off-the-shelf package or for something more bespoke.

Create your mounting solution by scanning the QR code, or visiting: www.btechavmount.com/systemx-configurator





SYSTEM X OFF-THE-SHELF KITS

TROLLEYS, MENU BOARDS & VIDEO WALLS

Mounting solutions which cater for the most common video wall and menu board requirements are available in ready-made kits with the same quick turnaround that you would get with any B-Tech product lines. Variations of these kits can be configured to your requirements using our Online Configuration Tool (*see page 40*) - just specify a few simple details, such as number of screens and their size, and the tool will configure a kit for you.



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit **www.btechavmounts.com**
Alternatively, you can contact us at **(+44) 1327 300787** or **info@btechavmounts.co.uk**



1

BT8330

UNIVERSAL MENU BOARD MOUNTING SYSTEM

The BT8330 is a modular wall mounting system for menu board installations of any size. The BT8330 can mount screens in landscape or portrait orientations with the option for tilt adjustment up to +20° for enhanced overhead visibility, perfect for fast food restaurants.

2

BT8331

UNIVERSAL POP-IN, POP-OUT MENU BOARD MOUNTING SYSTEM

The BT8331 is a modular wall mounting system for menu board installations of any size and features pop-in, pop-out interface arms designed to aid installation and allow access to the rear of the screens for servicing and maintenance.

3

BT8332

UNIVERSAL CEILING MOUNTED MENU BOARD MOUNTING SYSTEM

The BT8332 is a modular ceiling mounting system for menu board installations of any size. The BT8332 can mount screens in landscape or portrait orientations with the option for tilt adjustment up to +20° for enhanced overhead visibility, perfect for fast food restaurants.

4

BT8340

UNIVERSAL VIDEO WALL MOUNTING SYSTEM

The BT8340 is a modular wall mounting system for video wall installations of any size. The BT8340 can mount screens in landscape or portrait orientations - perfect for digital signage that needs to stand out.

5

BT8341

UNIVERSAL POP-IN, POP-OUT VIDEO WALL MOUNTING SYSTEM

The BT8341 is a modular wall mounting system for video wall installations of any size and features pop-in, pop-out interface arms designed to aid installation and allow access to the rear of the screens for servicing and maintenance.

6

BT8342

UNIVERSAL CEILING MOUNTED VIDEO WALL MOUNTING SYSTEM

The BT8342 is a modular ceiling mounting system for video wall installations of any size. The BT8342 can mount screens from the floor or ceiling in landscape or portrait orientations - perfect for digital signage that needs to stand out.

7

BT8370

UNIVERSAL VIDEO WALL STAND

The BT8370 is a freestanding mounting solution with a universal design suitable for all video wall screens from 46" to 60". As part of B-Tech's dynamic System X range, this contemporary mounting solution is lightweight yet incredibly strong, has a high-end aesthetic quality and comes with important time saving features to speed up installations.

8

BT8371

UNIVERSAL VIDEO WALL TROLLEY

The BT8371 is a mobile mounting solution with a universal design suitable for all video wall screens from 46" to 60". As part of B-Tech's dynamic System X range, this contemporary mounting solution is lightweight yet incredibly strong, has a high-end aesthetic quality and non-marking braked castors which allow the solution to be easily re-positioned.

9

BT8372


UNIVERSAL BOLT DOWN VIDEO WALL STAND

The BT8372 is a bolt down mounting solution with a universal design suitable for all video wall screens from 46" to 60". As part of B-Tech's dynamic System X range, this contemporary mounting solution is lightweight yet incredibly strong, has a high-end aesthetic quality and a small footprint, making it ideal for retail applications.

SYSTEM X COMPONENTS

HORIZONTAL RAILS & FIXING KITS

Horizontal Mounting Rails provide the basis for all System X installations and are therefore an essential part of all configurations. Available in a variety of different lengths, extension kits can be used to join rails together as many times as necessary to increase the overall length. Rails can be fixed onto Vertical Columns, to System 2 Ø50mm poles or directly to walls using a range of different fixing kits based on the application.



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit www.btechavmounts.com. Alternatively, you can contact us at **(+44) 1327 300787** or info@btechavmounts.co.uk



1

BT8390

HORIZONTAL MOUNTING RAILS

BT8390 rails are essential to all System X installations - fixing directly onto walls or onto vertical support columns or Ø50mm poles using the relevant fixing kit. Available in 6 different lengths; **0.3m, 0.5m, 0.7m, 1.5m, 1.75m and 2m**, all rails are available in silver and come with plastic end caps for a neat, professional finish.

2

BT8390-EXT

MOUNTING RAIL EXTENSION KIT

Extension kit allows BT8390 rails to be joined together securely to extend rail lengths as long as necessary. Available in silver.

3

BT8390-WFK1

MOUNTING RAIL WALL FIXING KIT - ULTRA-SLIM

This wall fixing kit allows BT8390 mounting rails to be fixed directly to a wall and, at a depth of just 5mm is ideal for close to the wall installations such as single row menu boards on fixed or tilting interface arms. Available in black.

4

BT8390-WFK2

MOUNTING RAIL WALL FIXING KIT

This wall fixing kit allows BT8390 mounting rails to be fixed directly to a wall and, at a depth of 19mm is ideal for multiple row video wall installations when a greater tilt angle or larger, more advanced interface arms (such as those with micro-adjustment) are required. Available in black.

5

BT8390-WFK3

DUAL MOUNTING RAIL WALL FIXING KIT

This wall fixing kit allows two BT8390 mounting rails to be fixed directly to a wall or vertical support column and is designed for XL screen installations using VESA 800 or VESA 1200 System X interface arms. Available in black.

6

BT8390-WFK4

WALL-TO-WALL FIXING KIT

This Wall Fixing Kit for the System X Range allows BT8390 Mounting Rails to be fixed at a 90° angle from one wall to another, allowing screen installations across opposing walls, such as in corridors or other spaces where there is no mountable wall directly behind the installation.

7

BT8390-CFK

MOUNTING RAIL COLLAR FIXING KIT

This collar fixing kit allows BT8390 mounting rails to be fixed to B-Tech accessory collars for use in pole mounted installations. Available in black.

8

BT8380-JPK

JOINING PLATE KIT

This joining kit allows BT8390 mounting rails to be fixed directly onto BT8380 vertical support columns for trolley and floor stand installations. Available in black.

9

BT8390-CMC


CABLE MANAGEMENT CLIP

Designed to attach to BT8390 mounting rails, this discreet cable management clip helps to keep cables organised for a neat and tidy installation. Available in black.

SYSTEM X COMPONENTS

VERTICAL COLUMNS & BASES

A variety of different floor bases are available depending what type of install is required; freestanding, fixed or mobile. Vertical columns are then fixed to these bases and come in a variety of different lengths - with the ability to join columns together using the column extension kits.



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit **www.btechavmounts.com**
Alternatively, you can contact us at **(+44) 1327 300787** or **info@btechavmounts.co.uk**



1

BT8380

VERTICAL SUPPORT COLUMNS

BT8380 columns fix to a variety of different bases to form the central core of Trolley and Floor stand installations. Available in 2 different lengths; **BT8380-60** (60cm) and **BT8380-180** (180cm) which can be combined to create **BT8380-240 (240cm)** columns. All columns are available in silver or black and come with cable management covers and plastic trim strips for a neat, professional finish.

2

BT8380-EXTV

SUPPORT COLUMN EXTENSION KIT

Extension kit allows BT8380 columns to be joined together securely to increase column heights as necessary. Available in silver.

3

BT8380-FFB

FIXED FLOOR BASE

This bolt down base allows BT8380 columns to be bolted to the floor to create a secure installation with a small, discreet footprint. Available in black.

4

BT8380-FSB

FREESTANDING FLOOR BASE

This floor base for BT8380 columns allows freestanding single or multi-screen installations without the need to permanently fix to the floor. Available in black.

5

BT8380-BASE

TROLLEY / FLOOR STAND BASE

This base for BT8380 columns comes with height adjustable levelling feet for use as a floor stand but can also be used with castors (available separately) to create a mobile mounting solution. When using the BT8380-BASE at least two must be used together. Available in black.

6

BT8380-CASTOR

4" BRAKED CASTORS

These braked castors simply screw into the BT8380-BASE (available separately) to create a mobile mounting solution. Available in black.

7

BT8380-FBFK

FLOOR BASE FIXING KIT

Allows a BT8380-BASE to be bolted to the floor for added security or to prevent unwanted movement of the finished installation. Available in black.

8

BT8390-SP




ROW HEIGHT ADJUSTMENT SPACER

The row height spacer is designed to set the distance between two horizontal mounting rails for video wall installations. The spacer hooks over BT8380-JPKs and is incremented to make it compatible with 46", 47", 55" and 60" screens. This dramatically shortens install times by eliminating on-site calculations, while creating perfectly spaced video wall solutions.

SYSTEM X COMPONENTS

SCREEN INTERFACE ARMS

Interface arms fit directly to the rear of screens and can then be quickly hooked onto Horizontal Mounting Rails. Available in a variety of different sizes, each arm has been carefully designed for a specific job - with features ranging from tilt, 8-point micro-adjustment and a pop-in, pop-out mechanism, it's easy to find an interface arm to suit your exact needs.



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit **www.btechavmounts.com**
Alternatively, you can contact us at **(+44) 1327 300787** or **info@btechavmounts.co.uk**



1

BT8390-VESA200F

VESA 200 FIXED INTERFACE ARMS

Fixed interface arms for screens with fixings up to VESA 200, which hook directly onto BT8390 mounting rails. Height adjustment screws allow screens to be levelled. Available in black.

2

BT8390-VESA200T

VESA 200 INTERFACE ARMS WITH TILT

Tilting interface arms for screens with fixings up to VESA 200, which hook directly onto BT8390 mounting rails. Height adjustment screws allow screens to be levelled and a tilt function allows an incremental tilt angle of up to +20°. Available in black.

3

BT8390-VESA400F

VESA 400 FIXED INTERFACE ARMS

Fixed interface arms for screens with fixings up to VESA 400, which hook directly onto BT8390 mounting rails. Height adjustment screws allow screens to be levelled. Available in black.

4

BT8390-VESA400T

VESA 400 INTERFACE ARMS WITH TILT

Tilting interface arms for screens with fixings up to VESA 400, which hook directly onto BT8390 mounting rails. Height adjustment screws allow screens to be levelled and a tilt function allows an incremental tilt angle of up to +20°. Available in black.

5

BT8390-VESA400MAF

VESA 400 FIXED INTERFACE ARMS WITH MICRO-ADJUSTMENT

Fixed interface arms for screens with fixings up to VESA 400, which hook directly onto BT8390 mounting rails. These arms feature 8-point micro-adjustment for a seamless alignment of multi-screen installations. Available in black.

6

BT8390-VESA400MAP

VESA 400 POP-OUT INTERFACE ARMS WITH MICRO-ADJUSTMENT

Interface arms for screens with fixings up to VESA 400, which hook directly onto BT8390 mounting rails. These arms feature a pop-out function for easy install and service access, as well as 8-point micro-adjustment for a seamless alignment of multi-screen installations. Available in black.

7

BT8390-VESA800F

VESA 800 FIXED INTERFACE ARMS

Ideal for mounting XL screens in landscape or portrait orientation, these fixed interface arms are designed for screens with fixings up to VESA 800 and hook directly onto a single or dual BT8390 mounting rails. Height adjustment screws allow screens to be levelled. Available in black.

8

BT8390-VESA1200F

VESA 1200 FIXED INTERFACE ARMS

Ideal for mounting XL screens in landscape or portrait orientation, these fixed interface arms are designed for screens with fixings up to VESA 1200 and hook directly onto dual BT8390 mounting rails. Height adjustment screws allow screens to be levelled. Available in black.

9

BT7564






VESA 600 X 400 INTERFACE ADAPTORS

These adaptors allow VESA 600 x 400 screens to be mounted in portrait orientation on VESA 400 interface arms. Also allows landscape VESA 600 x 400 configurations to be installed on shorter length BT8390 mounting rails. Available in black.

SYSTEM X COMPONENTS

POLES, CEILING/FLOOR MOUNTS & COLLARS

System X components integrate with B-Tech's Ø50mm pole mounting range to create one of the most versatile mounting systems available on the market today. Horizontal mounting rails simply fit onto poles using a B-Tech collar and collar fixing plate, they can then be fixed to the floor or ceiling (or both) using a variety of different ceiling mounts.



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit www.btechavmounts.com
Alternatively, you can contact us at **(+44) 1327 300787** or info@btechavmounts.co.uk



1

BT7850

Ø50MM POLES

BT7850 poles can be used in an almost endless variety of different ways to create simple or complex structures - to which BT8390 mounting rails can be fitted. Available in 6 different lengths; 0.25m, 0.5m, 1m, 1.5m, 2m and 3m, poles are available in a black, silver or chrome finish.

2

BT7853

Ø50MM HEAVY DUTY POLES

BT7853 poles work in the same way as BT7850 but are made from a thicker steel, resulting in a finished install with a much greater rigidity - ideal for supporting large, complex installations. Available in 2 lengths; 2m and 3m, these poles are available in black only.

3

BT7851

TELESCOPIC CEILING MOUNT

The BT7851 ceiling mount features a telescopic Ø50mm pole with an adjustable drop of 600mm - 1000mm, to which BT8390 rails can be mounted. Available in black.

4

BT7822

HEAVY DUTY CEILING / FLOOR MOUNT

Made from heavy duty steel, the BT7822 is a robust mounting solution designed to mount Ø50mm poles to the floor or ceiling. Capable of supporting heavy loads, it is the ideal solution for ceiling mounted installs, ranging from basic setups to complex installations. Available in black or chrome.

5

BT7808

CEILING / WALL MOUNT WITH TILT

Designed to ceiling mount Ø50mm poles, the BT7808 features an adjustable tilt mechanism with a tilt range of up to 90°. This makes it ideal for installations mounted on angled ceilings. Available in black.

6

BT7807

HEAVY DUTY TWIN FLOOR / CEILING MOUNT

Made from heavy duty steel, the BT7807 is a robust, twin pole mounting solution designed to mount Ø50mm poles to the floor or ceiling. Capable of supporting heavy loads, it is the ideal solution for ceiling mounted twin pole installs, ranging from basic setups to complex installations. Available in black.

7

BT7831

WALL MOUNTING BRACKET

Designed to mount Ø50mm poles onto walls, the BT7831 is ideal for installs at locations where it is not possible to fix to the floor or ceiling (or both), or when there is a large section of wall behind the installation which is not strong enough to fix to. Available in black.

8

BT7841

Ø50MM 2-PIECE ACCESSORY COLLAR

This split collar allows mounts and other equipment to be fitted to B-Tech Ø50mm poles. Using a BT7841 with a BT8390 Collar Fixing Kit allows BT8390 Horizontal Mounting Rails to be used in pole mounted installations. The 2-piece design aids the installation process and allows retro-fitting to existing installations. Fixing points on either side of the collar allows back-to-back installations. Available in black.

9

BT7051

Ø50MM HEAVY DUTY ACCESSORY COLLAR

This heavy duty collar allows mounts and other equipment to be fitted to B-Tech Ø50mm poles. Using a BT7051 with a BT8390 Collar Fixing Kit allows BT8390 Horizontal Mounting Rails to be used in pole mounted installations. The dual fixing design provides a more rigid installation and fixing points on either side of the collar allows back-to-back installations. Available in black.

SMALL SCREEN INSTALLS

FLAT SCREEN WALL MOUNTS

As an alternative option, B-Tech's professional range of flat screen wall mounts can fit directly onto System X horizontal mounting rails. This allows multi-screen installations using screens with VESA 100 or VESA 200 x 100 mounting patterns - with a choice of options that include fixed, tilt or tilt and swivel.



1



2



3



4



5



8



6




7



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit **www.btechavmounts.com**
Alternatively, you can contact us at **(+44) 1327 300787** or **info@btechavmounts.co.uk**



1

BT7510

ULTRA-SLIM, FIXED FLAT SCREEN WALL MOUNT - SMALL

Designed for screens up to 28" with 50 x 50, 75 x 75 or 100 x 100 VESA mounting patterns, this flat screen wall mount has an ultra-slim design for a discreet, fixed installation. Available in black.

2

BT7511

FLAT SCREEN WALL MOUNT WITH TILT - SMALL

Designed for screens up to 28" with 75 x 75 or 100 x 100 VESA mounting patterns, this flat screen wall mount features a tilting interface which, when mounted onto BT8390 mounting rails, has a tilt range of +17° / -10°. Available in black.

3

BT7518

FLAT SCREEN WALL MOUNT WITH TILT AND SWIVEL - SMALL

Designed for screens up to 28" with 75 x 75 or 100 x 100 VESA mounting patterns, this flat screen wall mount features a tilt and swivel interface which, when mounted onto BT8390 mounting rails, has a tilt range of +17° / -10° and swivel range of 50°. Available in black.

4

BT7521

ULTRA-SLIM, FIXED FLAT SCREEN WALL MOUNT - MEDIUM

Designed for screens up to 32" with 75 x 75, 100 x 100 or 200 x 100 VESA mounting patterns, this flat screen wall mount has an ultra-slim design for a discreet, fixed installation. Available in black.

5

BT7523

FLAT SCREEN WALL MOUNT WITH TILT - MEDIUM

Designed for screens up to 32" with VESA mounting patterns of 75 x 75 up to 200 x 200. This flat screen wall mount features a tilting interface which, when mounted onto BT8390 mounting rails, has a tilt range of +/-15°. Available in black.

6

FLAT SCREEN DESK MOUNTS

FLAT SCREEN WALL MOUNT WITH TILT AND SWIVEL - MEDIUM

Designed for PC screens up to 28" with 75 x 75 and 100 x 100 VESA mounting patterns, this range of desktop mounting solutions can be fixed to BT8390 mounting rails using BT7399 and BT8390-ADP mounting plates, and can provide a tilt range of +65°/-90° and 180° swivel. Available in black (BT7373 shown).

7

VENTRY FLAT SCREEN WALL MOUNTS

FLAT SCREEN WALL MOUNT WITH TILT AND SWIVEL - SMALL & MEDIUM

Designed for small or medium screens up to 23" or 42", with 75 x 75 and 100 x 100 or 200 x 200 VESA mounting patterns, this range of mounting solutions can be fixed to BT8390 mounting rails using the BT8390-ADP mounting plate, and can provide a tilt range of +/-15° and 180° swivel. Available in black (BTV114 shown).

8

BT8390-ADP

MOUNTING ADAPTOR PLATE FOR SYSTEM X

The BT8390-ADP is an adaptor plate which allows System X desktop mounting solutions to be created. The adaptor combines with other B-Tech mounts, and fixes to BT8390 horizontal mounting rails to allow desk mounted solutions for normal and curved screens, with tilt and swivel adjustment. **Compatible with BT7371/2/3/4 Desk Mounts and the BTV112/3/4 and BTV502/3/4 Ventry Flat Screen Wall Mounts.**

ACCESSORISE YOUR INSTALL

SHELVES, MEDIA PLAYERS & SPEAKERS

A range of different accessories can be added to any System X installation by bolting a desired accessory mounting solution directly onto the horizontal mounting rails or vertical support columns. Typical accessories include media players such as an Apple TV®, Blu-Ray® players or Loudspeakers.



1



2



3



4



5



6



PRODUCT LIST



For more information about all other B-Tech products please scan the QR code below or visit **www.btechavmounts.com**
Alternatively, you can contact us at **(+44) 1327 300787** or **info@btechavmounts.co.uk**



1

BT8390-SA

ACCESSORY SHELF ADAPTOR FOR SYSTEM X™

This shelf adaptor allows shelves to be fitted to System X installations. Ideal for video conferencing applications, the adaptor allows a shelf to be mounted either above or below screens. Available in black.

2

BT7863

VC CAMERA SHELF

This shelf is designed to mount a Video Conferencing Camera and is ideal for use with the BT8390-SA to mount a camera above or below screens. Available in black.

3

BT7032

LARGE AV ACCESSORY SHELF

This large AV accessory shelf is made from a durable powder coated steel and is ideal for adding AV devices up to 500mm x 380mm (such as laptops or DVD players) to installations. Fits directly to BT8390 mounting rails or BT8380 support columns and is available in black.

4

BT7860

APPLE TV® 2ND & 3RD GENERATION MOUNT

The BT7860 is designed to mount 2nd and 3rd Generation Apple TVs® and can be bolted straight onto BT8390 mounting rails or BT8380 support columns. Features +/-90° tilt and 75° swivel, security screws to help prevent unauthorised removal and is available in black.

5

BT7880

APPLE TV® 4TH GENERATION MOUNT

The BT7880 is designed to mount 4th Generation Apple TVs® and can be bolted straight onto BT8390 mounting rails or BT8380 support columns. Features +/-90° tilt and 75° swivel, security screws to help prevent unauthorised removal and is available in black.

6

BT77

SIDE CLAMPING LOUDSPEAKER MOUNTS

BT77 speaker mounts fit directly onto BT8380 support columns, allowing speakers of to 25kg to be mounted directly to trolley or floor stand installations. Mounts come in pairs and feature +/-7° tilt and 360° swivel and are available in black or white.



BETTER BY DESIGN™

B-TECH AUDIO VIDEO MOUNTS



Designed & Engineered
in the UK

INTERNATIONAL GROUP OF COMPANIES

INTERNATIONAL HEAD OFFICE

UK
B-TECH INTERNATIONAL LTD
TEL: +44 (0)1327 300787
EMAIL: INFO@BTECHAVMOUNTS.CO.UK

EUROPE

BELGIUM
B-TECH PRO-AV BVBA
TEL: +32 (0)2 720 9271
EMAIL: INFO@BTECHPROAV.COM

GERMANY
B-TECH DEUTSCHLAND GMBH
TEL: +49 (0)3322 4291712
EMAIL: INFO@BTECHDEUTSCHLAND.DE

SPAIN
B-TECH INTERNATIONAL (IBERIA) SL
TEL: +34 93 640 24 79
EMAIL: INFO@BTECHIBERIA.COM

AMERICAS

USA
B-TECH AV MOUNTS
TEL: +1 888 530 7904
EMAIL: AMERICAS@BTECHAVMOUNTS.COM

MENA & SAARC

DUBAI
B-TECH AUDIO VISUAL
ACCESSORIES TRADING LLC
TEL: (+971) 4 3574855
EMAIL: SALES@BTECHAVMOUNTS.AE

APAC

CHINA
NINGBO B-TECH INTERNATIONAL
TRADING CO., LTD
TEL: (+86) 574 8810 3861
EMAIL: INFO@BTECHASIA.COM

VIETNAM
B-TECH INTERNATIONAL
DESIGN AND MANUFACTURING (VIETNAM) LTD
TEL: +84 (0)46 2870 500
EMAIL: INFO@BTECHAVMOUNTS.VN

ASEAN

SINGAPORE
B-TECH AV MOUNTS PTE LTD
TEL: (+65) 6841 2988
EMAIL: INFO@BTECHAVMOUNTS.COM.SG

© 2017 B-Tech International Design & Manufacturing Ltd. All rights reserved.

The information in this specification sheet reflects the current technical specifications at the time of print.

We reserve the right to change the technical or physical specifications without prior notice. The B-Tech name and the B-Tech logo are registered trademarks of B-Tech International Design & Manufacturing Ltd. All other brands and products are trademarks of their respective owners. All B-Tech images and symbols are exclusive property of B-Tech International Design & Manufacturing Ltd.

B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures. Any reproduction or retransmission or republication of any part of this specification sheet is strictly prohibited, unless prior written permission has been granted by B-Tech International Design & Manufacturing Ltd. E&OE.

CA-NF2017-PB-V1-310117